

Staple
Here
Only

Printer's
Trim
Line

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,182,816

Page 1 of 1

DATED : February 27, 2007

INVENTOR(S) : Mark Kleshock et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6, line approx. 63, reads "In addition, slot can have a"
and should read --In addition, slot 450 can have a--

Column 10, lines 59-60, CLAIM 1, reads "and a larger lower larger end
contiguous with" and should read --and a larger lower end contiguous with --

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.
2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202-2917

PATENT NO. 7,182,816
No. of add'l copies
@ 50¢ per page:

SUBSTITUTE FORM PTO76-22

PATENT

In re Patent of: Mark Kleshock et al.
Patent No.: 7,182,816
Issue Date: February 27, 2007
Serial No.: 10/643,136
Filed: August 18, 2003
Title: PARTICULATE REDUCTION USING TEMPERATURE-
CONTROLLED CHAMBER SHIELD
Atty Docket No.: TAZ-237

Cincinnati, OH

July 6, 2007

CERTIFICATE OF CORRECTION BRANCH
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR APPLICANT'S MISTAKE (37 C.F.R. § 1.323)**

It is noted that errors appear in this patent of a nature or character as more fully described below. They occurred in good faith and correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. A certificate of correction is requested.

Enclosed herewith is Form PTO-1050 (Substitute Form PTO76-22).

The exact column and line number where errors occur in the patent are as follows:

Column 6, line approx. 63, reads "In addition, slot can have a" and should read --In addition, slot 450 can have a--

Column 10, lines 59-60, CLAIM 1, reads "and a larger lower end contiguous with" and should read --and a larger lower end contiguous with--

Please send the certificate to:

Joseph R. Jordan, Esq.
Wood, Herron & Evans, L.L.P.
2700 Carew Tower
Cincinnati, OH 45202

Should any additional fees be required, authorization is hereby given to charge such fees to deposit account 23-3000.

Respectfully submitted,

WOOD, HERRON & EVANS, L.L.P.

By Joseph R. Jordan/
Joseph R. Jordan
Reg. No. 25,686

2700 Carew Tower
Cincinnati, OH 45202
(513) 241-2324